

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040170449"	US-PGPUB; USPAT	OR	ON	2005/06/08 17:14
S2	3	"2002310136"	JPO; DERWENT	OR	ON	2005/06/08 18:27
S3	81	399/286.ccls. and diameter with particles	US-PGPUB; USPAT	OR	ON	2005/06/08 20:05
S4	25	399/286.ccls. and diameter with particles with resin	US-PGPUB; USPAT	OR	ON	2005/06/08 20:32
S5	602	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin same (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:34
S6	507	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:01
S7	31	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol) with weight	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:38
S8	41	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol) with dispers\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:52
S9	334	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and bridgestone	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:52
S10	48	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin same thickness same diameter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:23
S11	3	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:19
S12	0	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same vitreous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:18

S13	3	(developing) near (roll roller) same glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:17
S14	1	(developing) near (roll roller) same vitreous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:18
S15	330	(g03g\$.ipc. "399"/\$.ccls.) and glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:20
S16	27	(g03g\$.ipc. "399"/\$.ccls.) and glassy with carbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:25
S17	0	"63307465"	US-PGPUB; USPAT	OR	ON	2005/06/08 21:23
S18	1	"63307465"	JPO	OR	ON	2005/06/08 21:23
S19	293	(g03g\$.ipc. "399"/\$.ccls.) and gc	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:25
S20	293	(g03g\$.ipc. "399"/\$.ccls.) and gc	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:28
S21	215	(g03g\$.ipc. "399"/\$.ccls.) and gc not (gc with gas)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:28
S22	145	(g03g\$.ipc. "399"/\$.ccls.) and gc not gas	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:33
S23	4444	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and pd<"01011975"	JPO	OR	ON	2005/06/08 21:33
S24	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011975"	JPO	OR	ON	2005/06/08 21:33
S25	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011979"	JPO	OR	ON	2005/06/08 21:33
S26	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011989"	JPO	OR	ON	2005/06/08 21:34
S27	64	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @py="1980"	JPO	OR	ON	2005/06/08 21:34

S28	73	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @py<"1980"	JPO	OR	ON	2005/06/08 21:34
S29	28	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic and @py<"1980"	JPO	OR	ON	2005/06/08 21:58
S30	12	gleitz.xa. and samsung	US-PGPUB; USPAT	OR	ON	2005/06/08 21:35
S31	0	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and resin with grind\$5	JPO	OR	ON	2005/06/08 21:58
S32	1	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and resin with grind\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:59
S33	18	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and grind\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:19
S34	2	"5707726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:19
S35	219	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and resin same thickness same diameter and (elastic foam foamed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:09
S36	881	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and resin with layer and (elastic foam) with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:09
S37	143	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and outer with resin with layer and (elastic foam) with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"5707726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:19
L4	219	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and resin same thickness same diameter and (elastic foam foamed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:09
L6	881	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and resin with layer and (elastic foam) with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:09
L7	143	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and outer with resin with layer and (elastic foam) with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 14:10
S1	1	"20040170449"	US-PGPUB; USPAT	OR	ON	2005/06/08 17:14
S2	3	"2002310136"	JPO; DERWENT	OR	ON	2005/06/08 18:27
S3	81	399/286.ccls. and diameter with particles	US-PGPUB; USPAT	OR	ON	2005/06/08 20:05
S4	25	399/286.ccls. and diameter with particles with resin	US-PGPUB; USPAT	OR	ON	2005/06/08 20:32
S5	602	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin same (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:34
S6	507	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:01
S7	31	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol) with weight	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:38
S8	41	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin with (silicone rubber fluoroplastic urethane elastomer acrylate melamine phenol) with dispers\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:52

S9	334	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) and bridgestone	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 20:52
S10	48	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same resin same thickness same diameter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:23
S11	3	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:19
S12	0	(g03g\$.ipc. "399"/\$.ccls.) and (developing) near (roll roller) same vitreous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:18
S13	3	(developing) near (roll roller) same glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:17
S14	1	(developing) near (roll roller) same vitreous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:18
S15	330	(g03g\$.ipc. "399"/\$.ccls.) and glassy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:20
S16	27	(g03g\$.ipc. "399"/\$.ccls.) and glassy with carbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:25
S17	0	"63307465"	US-PGPUB; USPAT	OR	ON	2005/06/08 21:23
S18	1	"63307465"	JPO	OR	ON	2005/06/08 21:23
S19	293	(g03g\$.ipc. "399"/\$.ccls.) and gc	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:25
S20	293	(g03g\$.ipc. "399"/\$.ccls.) and gc	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:28
S21	215	(g03g\$.ipc. "399"/\$.ccls.) and gc not (gc with gas)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:28

S22	145	(g03g\$.ipc. "399"/\$.ccls.) and gc not gas	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:33
S23	4444	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and pd<"01011975"	JPO	OR	ON	2005/06/08 21:33
S24	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011975"	JPO	OR	ON	2005/06/08 21:33
S25	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011979"	JPO	OR	ON	2005/06/08 21:33
S26	0	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @pd<"01011989"	JPO	OR	ON	2005/06/08 21:34
S27	64	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @py="1980"	JPO	OR	ON	2005/06/08 21:34
S28	73	(g03g\$.ipc. "399"/\$.ccls.) and (roll roller) with elastic and @py<"1980"	JPO	OR	ON	2005/06/08 21:34
S29	28	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic and @py<"1980"	JPO	OR	ON	2005/06/08 21:58
S30	12	gleitz.xa. and samsung	US-PGPUB; USPAT	OR	ON	2005/06/08 21:35
S31	0	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and resin with grind\$5	JPO	OR	ON	2005/06/08 21:58
S32	1	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and resin with grind\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/08 21:59
S33	18	(g03g\$.ipc. "399"/\$.ccls.) and (develop developing) and (roll roller) with elastic with mold and grind\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/09 13:19